



工程變更客戶通知單

Engineering Change Customer Notification

ECR/ECN 單號： ECR/ECN Number:	EC-22-08-028
日期： Date:	2022/08/23
變更者/郵箱： Author/Mail	Ray Huang
客戶端工程變更需求確認：(signature) EC request confirmation by customer	請於 10 工作日內簽回，若超過 10 日未簽回將視為同意此變更 Please sign back within 10 working days, if you do not sign back within 10 working days, you will be deemed to agree to this change.
客戶端工程變更完成確認：(signature) EC completion confirmation by customer	請於 10 工作日內簽回，若超過 10 日未簽回將視為已確認 Please sign back within 10 working days. if you do not sign back within 10 working days, it will be deemed as confirmed.

1. 影響產品 Affected Products

產品類別 Product Category	零件編號 Part Number
	CAB.720/CAB.721/CAB.721.ky/CAB.738/CAB.739 /CAB.761/CAB.769.ky

2. 變更訊息 Information of change

變更類型 Type of Change	<input checked="" type="checkbox"/> 工程設計變更 Engineering Design Change <input type="checkbox"/> 生產製程變更 Production Process improvement	
	<input type="checkbox"/> 其他: Others:	
變更原因 Reason for change	The HRS connector requires to be changed because the original connector will be EOL by HRS.	
變更說明 Description of Change	Change the HRS connector from U.FL-LP(P)-088A to U.FL-LP-066HF.	
變更影響 Impact of change	<input checked="" type="checkbox"/> 外觀 Appearance <input type="checkbox"/> 功能 Function <input checked="" type="checkbox"/> 規格 Specification <input type="checkbox"/> 品質 Quality <input type="checkbox"/> 可靠度 Reliability <input type="checkbox"/> 法規 Regulations <input checked="" type="checkbox"/> 包裝 Package: <input type="checkbox"/> 其他 Others:	
	上述影響描述: Describe if above applies :	The plating of the connector will be changed from gold plating to silver plating.
預估轉換日期 Forecast Estimated Transition Date	Last buy (old product)	Running Change
	New buy (new product)	Running Change

3. 計劃表

Schedule


N/A

4. 變更圖例


Illustration of Change

1. 變更前 / Before


- The original connector of U.FL-LP(P)-088A is gold plated.



- The PE bag was not required vacuum and have protective pad wrapped around the connector to prevent Oxidation.




- Outside dimension of original connector.




2. 變更後/After

- The connector of U.FL-LP-066HF is silver plated.



- The PE bag is required vacuum and have protective pad wrapped around the connector to prevent Oxidation.



- Outside dimension of new connector. The height is different from 1.73 mm to 1.93mm.

[DIMENSIONS OF CONNECTOR]

